



Suma Bac Conc D10 Conc

Revision: 2018-01-25

Version: 05.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Bac Conc D10 Conc

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P314 - Surface disinfectant. Manual process

AISE-P315 - Surface disinfectant. Spray and rinse manual process

AISE-P301 - General purpose cleaner. Manual process

AISE-P302 - General purpose cleaner. Spray and wipe manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315)

Eye Dam. 1 (H318)

Aquatic Acute 1 (H400)

Aquatic Chronic 2 (H411)

2.2 Label elements



Signal word: Danger.

Contains alkyl alcohol ethoxylate (Trideceth-8), didecyldimethylammonium chloride (Didecyldimonium Chloride), alkyl dimethylbenzylammoniumchloride (Benzalkonium Chloride).

Hazard statements:

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl alcohol ethoxylate	Polymer*	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		10-20
didecyldimethylammonium chloride	230-525-2	7173-51-5	01-2119945987-15	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		3-10
alkyldimethylbenzylammoniumchloride	270-325-2	68424-85-1	No data available	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		3-10
alkyl alcohol ethoxylate	931-138-8	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		1-3
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		1-3
propan-2-ol	200-661-7	67-63-0	01-2119457558-25	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)		1-3

* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before re-use. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes irritation.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform

Suma Bac Conc D10 Conc

responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original container. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
propan-2-ol	400 ppm 999 mg/m ³	500 ppm 1250 mg/m ³

Biological limit values, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
didecyldimethylammonium chloride	-	-	-	-
alkyldimethylbenzylammoniumchloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-
propan-2-ol	-	-	-	26

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
didecyldimethylammonium chloride	-	-	-	8.6
alkyldimethylbenzylammoniumchloride	-	-	-	5.7
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	No data available	-	No data available	-
propan-2-ol	No data available	-	No data available	888

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
didecyldimethylammonium chloride	-	-	-	-

Suma Bac Conc D10 Conc

alkyldimethylbenzylammoniumchloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	No data available	-	No data available	-
propan-2-ol	No data available	-	-	319

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	No data available
didecyldimethylammonium chloride	-	-	-	18.2
alkyldimethylbenzylammoniumchloride	-	-	-	3.96
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	10	-
propan-2-ol	-	-	-	500

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	No data available	No data available	-	-
didecyldimethylammonium chloride	-	-	-	--
alkyldimethylbenzylammoniumchloride	-	-	-	1.64
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	10	-	-	-
propan-2-ol	-	-	-	89

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	-	-	-	-
didecyldimethylammonium chloride	0.002	0.0002	0.00029	0.595
alkyldimethylbenzylammoniumchloride	0.0009	0.00009	0.00016	0.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-
propan-2-ol	140.9	140.9	140.9	2251

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alkyl alcohol ethoxylate	-	-	-	-
didecyldimethylammonium chloride	2.82	0.282	1.4	-
alkyldimethylbenzylammoniumchloride	0.267	0.0267	7	-
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-
propan-2-ol	552	552	28	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166).

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min
Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30 min
Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Suma Bac Conc D10 Conc

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 2

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical State: Liquid	
Colour: Clear, Purple	
Odour: Product specific	
Odour threshold: Not applicable	
pH: ≈ 11 (neat)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 200	Method not given	
didecyldimethylammonium chloride	110		
alkyldimethylbenzylammoniumchloride	> 107	Method not given	
alkyl alcohol ethoxylate	No data available		
sodium carbonate	1600	Method not given	1013
propan-2-ol	82	Method not given	1013

	Method / remark
Flash point (°C): ≈ 93.4	closed cup
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Upper/lower flammability limit (%): Not determined	See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
alkyldimethylbenzylammoniumchloride	-	-
propan-2-ol	2	13

	Method / remark
Vapour pressure: Not determined	See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
didecyldimethylammonium chloride	No data available		
alkyldimethylbenzylammoniumchloride	2300	Method not given	20
alkyl alcohol ethoxylate	< 100		
sodium carbonate	Negligible		
propan-2-ol	4200	Method not given	20

	Method / remark
Vapour density: Not determined	Not applicable, no vapour pressure data available
Relative density: ≈ 1.03 (20 °C)	Not relevant to classification of this product OECD 109 (EU A.3)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Soluble	Method not given	20
didecyldimethylammonium chloride	No data available		
alkyldimethylbenzylammoniumchloride	Soluble	Method not given	
alkyl alcohol ethoxylate	Partly soluble	Method not given	20
sodium carbonate	210-215	Method not given	20
propan-2-ol	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: ≈ 40 mPa.s (20 °C)
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

Method / remark

Not explosive, based on substance properties
 Not oxidising, based on substance properties

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

Not relevant to classification of this product

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000
 ATE - Dermal (mg/kg): >2000

Skin irritation and corrosivity

Result: Skin irritant 2

Species: Rabbit

Method: OECD 404 (EU B.4)

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD ₅₀	> 300 - 2000	Rat	OECD 423 (EU B.1 tris)	
didecyldimethylammonium chloride	LD ₅₀	238	Rat	Method not given	
alkyldimethylbenzylammoniumchloride	LD ₅₀	398	Rat		
alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rat	OECD 423 (EU B.1 tris)	
sodium carbonate	LD ₅₀	2800	Rat	Method not given	
propan-2-ol	LD ₅₀	3570	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rabbit	Method not given	
didecyltrimethylammonium chloride		No data available			
alkyldimethylbenzylammoniumchloride	LD ₅₀	800 - 1420	Rat	Method not given	
alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rat		
sodium carbonate	LD ₅₀	> 2000	Rabbit	Method not given	
propan-2-ol	LD ₅₀	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
didecyltrimethylammonium chloride		No data available			
alkyldimethylbenzylammoniumchloride		No data available			
alkyl alcohol ethoxylate		No data available			
sodium carbonate	LC ₅₀	2.3 (dust)	Rat	OECD 403 (EU B.2)	2
propan-2-ol	LC ₅₀	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
didecyltrimethylammonium chloride	Corrosive	Rabbit	OECD 404 (EU B.4)	
alkyldimethylbenzylammoniumchloride	Corrosive		Method not given	
alkyl alcohol ethoxylate	Not irritant	Rabbit	Weight of evidence Non guideline test	
sodium carbonate	Not irritant	Rabbit	Method not given	
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
didecyltrimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	Severe damage		Method not given	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence Non guideline test	
sodium carbonate	Irritant	Rabbit	Method not given	
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
didecyltrimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			
propan-2-ol	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
didecyltrimethylammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
alkyldimethylbenzylammoniumchloride	Not sensitising		Method not given	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig		
sodium carbonate	Not sensitising		Method not given	
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			

Suma Bac Conc D10 Conc

didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			
propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
didecyldimethylammonium chloride	No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476	No data available	
alkyldimethylbenzylammoniumchloride	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
alkyl alcohol ethoxylate	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	Weight of evidence
sodium carbonate	No data available		No data available	
propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
didecyldimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
propan-2-ol	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
didecyldimethylammonium chloride			No data available				
alkyldimethylbenzylammoniumchloride			No data available				
alkyl alcohol ethoxylate			-		Weight of evidence		No evidence for reproductive toxicity No evidence for teratogenic effects
sodium carbonate			No data available				
propan-2-ol			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
propan-2-ol		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data				

Suma Bac Conc D10 Conc

		available				
propan-2-ol		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
didecyltrimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				
propan-2-ol		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
didecyltrimethylammonium chloride			No data available					
alkyldimethylbenzylammoniumchloride			No data available					
alkyl alcohol ethoxylate			No data available					
sodium carbonate			No data available					
propan-2-ol			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
didecyltrimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	No data available
propan-2-ol	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
didecyltrimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	No data available
propan-2-ol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC ₅₀	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
didecyltrimethylammonium chloride	LC ₅₀	0.97	<i>Brachydanio rerio</i>	OECD 203 (EU C.1)	96

Suma Bac Conc D10 Conc

alkyldimethylbenzylammoniumchloride	LC ₅₀	> 0.1-1	<i>Fish</i>	Method not given	96
alkyl alcohol ethoxylate	LC ₅₀	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
sodium carbonate	LC ₅₀	300	<i>Lepomis macrochirus</i>	Method not given	96
propan-2-ol	LC ₅₀	> 100	<i>Pimephales promelas</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Daphnia magna Straus</i>	OECD 202, static	48
didecyldimethylammonium chloride	EC ₅₀	0.053	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
alkyldimethylbenzylammoniumchloride	EC ₅₀	0.02	<i>Daphnia magna Straus</i>	Method not given	48
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
sodium carbonate	EC ₅₀	265	<i>Daphnia magna Straus</i>	Method not given	96
propan-2-ol	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201, static	72
didecyldimethylammonium chloride	EC ₅₀	0.053	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
alkyldimethylbenzylammoniumchloride	EC ₅₀	0.06	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	96
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
sodium carbonate		No data available			-
propan-2-ol	EC ₅₀	> 100	<i>Scenedesmus quadricauda</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			-
didecyldimethylammonium chloride		No data available			-
alkyldimethylbenzylammoniumchloride		No data available			-
alkyl alcohol ethoxylate		No data available			-
sodium carbonate		No data available			-
propan-2-ol		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC ₁₀	> 10000	<i>Activated sludge</i>	DIN 38412 / Part 8	17 hour(s)
didecyldimethylammonium chloride		No data available			
alkyldimethylbenzylammoniumchloride	EC ₂₀	10	<i>Activated sludge</i>	OECD 209	0.5 hour(s)
alkyl alcohol ethoxylate	EC ₅₀	140	<i>Activated sludge</i>	Weight of evidence	17 hour(s)
sodium carbonate		No data available			
propan-2-ol	EC ₅₀	> 1000	<i>Activated sludge</i>	Method not given	

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				

Suma Bac Conc D10 Conc

		available				
alkyl alcohol ethoxylate	NOEC	1.73	<i>Not specified</i>	QSAR Weight of evidence		
sodium carbonate		No data available				
propan-2-ol		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
didecyltrimethylammonium chloride	NOEC	> 0.01-0.1	<i>Daphnia magna</i>	OECD 211	21 day(s)	
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate	NOEC	1.36	<i>Daphnia magna</i>	QSAR Weight of evidence	21 hour(s)	
sodium carbonate		No data available				
propan-2-ol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	<i>Eisenia fetida</i>		-	
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate	LD ₅₀	> 1000	<i>Eisenia fetida</i>	OECD 207	14	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	<i>Lepidium sativum</i>	OECD 208	-	
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate	EC ₅₀	> 100	<i>Triticum aestivum</i> <i>Lepidium sativum</i> <i>Brassica alba</i>	OECD 208	-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data			-	

Suma Bac Conc D10 Conc

		available				
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available			-	
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	
propan-2-ol		No data available			-	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol ethoxylate		CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
didecyltrimethylammonium chloride		Oxygen depletion	> 60%	OECD 301D	Readily biodegradable
alkyldimethylbenzylammoniumchloride		Oxygen depletion	> 60%	Read across	Readily biodegradable
alkyl alcohol ethoxylate		CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium carbonate					Not applicable (inorganic substance)
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	No data available			

Suma Bac Conc D10 Conc

didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	0.5 - 1.58	Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available		Not relevant, does not bioaccumulate	
sodium carbonate	No data available		No bioaccumulation expected	
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	No data available				
didecyldimethylammonium chloride	2.1		Method not given	No bioaccumulation expected	
alkyldimethylbenzylammoniumchloride	0.5		Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available				
sodium carbonate	No data available			No bioaccumulation expected	
propan-2-ol	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
didecyldimethylammonium chloride	No data available				
alkyldimethylbenzylammoniumchloride	No data available				
alkyl alcohol ethoxylate	No data available				
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 3082

14.2 UN proper shipping name:

Environmentally hazardous substance, liquid, n.o.s. (alkyldimethylbenzylammoniumchloride , didecyldimethylammoniumchloride)

14.3 Transport hazard class(es):

Class: 9

Label(s): 9

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Suma Bac Conc D10 Conc

Other relevant information:**ADR**

Classification code: M6

Tunnel restriction code: E

Hazard identification number: 90

IMO/IMDG

EmS: F-A, S-F

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- Regulation (EU) No 528/2012 on biocidal products

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants

5 - 15 %

disinfectants

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3987

Version: 05.3

Revision: 2018-01-25

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 8, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H225 - Highly flammable liquid and vapour.
- H302 - Harmful if swallowed.
- H303 - May be harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H336 - May cause drowsiness or dizziness.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet